Technical data sheet

Service pole, type ISSHS140500

Item number: 6290030





ISS aluminium service pole, 2-compartment, with a 76.5 mm system opening.

Empty, equippable with standard devices (socket, telephone, etc.) max. 8 devices

Fixing possible directly on floor. Accessory mounting boxes to be ordered separately.

The service pole is suitable for accepting front-locking accessory mounting boxes of the series 71GD.... The installation of a partition of type GA-TW (6279711) and the installation of the cover clip, type KL80A, are possible as an option.





Aluminium

Master data

Item number 6290030 Type ISSHS140500RW Description 1 Service pole
- 7,50
Description 1 Service pole
Description 2 floor
Manufacturer OBO
Dimension 500x130x140
Colour Pure white; RAL 9010
Material Aluminium
Smallest sales unit 1
Unit of quantity Piece
Weight 302 kg
Weight unit kg/100 pc.


Technical data sheet

Service pole, type ISSHS140500









Technical data		
Numb	ber of usable covers	2
Numb	ber of compartments	2 St.
Versi	ion for	Double-sided

Technical data sheet

Service pole, type ISSHS140500

Item number: 6290030



Technical data		
	Fastening type	Bolts
	Floor mounting	yes
	Ceiling mounting	no
	Continuous profile	yes
	Halogen-free	yes
	Cable entry	Bottom
	Cover width	76.5 mm
	Changes according to location	no
	Pole shape	Rectangular
	Pole height, min.	500 mm
	Adjustable	no
	Pre-wired	no