


# Technical data sheet

## Internal corner cover, Style

Item number: 6115895



Trunking cover for the internal corner of the design device installation trunking of the GAD series. "Style" design version for complete coverage of the system opening and the switching and plug-in devices.



**Alu** Aluminium

**EL** Anodised

### Master data

|                     |                               |
|---------------------|-------------------------------|
| Item number         | 6115895                       |
| Type                | OT I Style EL                 |
| Description 1       | Cover ext. corner Design duct |
| Description 2       | Design Style                  |
| Manufacturer        | OBO                           |
| Dimension           | 44x140x218                    |
| Material            | Aluminium                     |
| Surface             | Anodised                      |
| Surface standard    |                               |
| Smallest sales unit | 1                             |
| Unit of quantity    | Piece                         |
| Weight              | 45.5 kg                       |
| Weight unit         | kg/100 pc.                    |


# Technical data sheet

## Internal corner cover, Style

Item number: 6115895



### Dimensions



|        |        |
|--------|--------|
| Length | 218 mm |
| Width  | 140 mm |
| Height | 44 mm  |

### Technical data

|                              |                 |
|------------------------------|-----------------|
| Application                  | Internal corner |
| Version for                  | Miscellaneous   |
| Shape                        | Asymmetrical    |
| Halogen-free                 | yes             |
| Cable retaining clip         | no              |
| Duct connector               | no              |
| Cover mounting type          | Cross-over      |
| Mounting perforation in base | no              |
| Protective film              | yes             |
| Angle range, max.            | 90 mm           |
| Angle range, min.            | 90 mm           |