

Technical data sheet

Round conductor, galvanised steel

Item number: 5021081



- Can be used as a conductor according to DIN EN 62561-2 (VDE 0185-561-2)
- Corresponds to the requirements of VDE 0185-305 (IEC 62305)
- RD 10 can also be used in the earth
- Zinc coating: $\geq 350 \text{ g/m}^2$ (approx. $50 \mu\text{m}$ as mean value)



St Steel

FT Hot-dip galvanised

Master data

| | |
|---------------------|--------------------|
| Item number | 5021081 |
| Type | RD 8-FT |
| Description 1 | Round conductors |
| Description 2 | 125 m ring |
| Manufacturer | OBO |
| Dimension | 8mm |
| Material | Steel |
| Surface | Hot-dip galvanised |
| Surface standard | DIN EN ISO 1461 |
| Smallest sales unit | 125 |
| Unit of quantity | Metre |
| Weight | 40 kg |
| Weight unit | kg/100 m |


Technical data sheet

Round conductor, galvanised steel

Item number: 5021081



Dimensions



| | |
|-------------|------|
| Dimension D | 8 mm |
|-------------|------|

Technical data

| | |
|---|--------------------|
| Number of individual wires | 1 |
| High voltage-resistant, insulated version | no |
| Normal ring (ca. kg) | 50 |
| Nomal ring (approx. m) | 125 |
| Length tolerance \pm | 5 % |
| Cross-section | 50 mm ² |
| Material property | Miscellaneous |
| Material jacket | Without |