



# ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **21593-004-02**

Valid from: 2025 04 09  
until: 2027 04 09

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **OBO Bettermann Hungary Kft.**  
Alsóráda 2  
2347 Bugyi  
Hungary

Product: **Junction box**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **TGM-VA EE 37336A, TGM-VA EE 37336**

**Österreichischer Verband für Elektrotechnik**

Head of OVE Certification  
Digitally signed by T. Neumayer  
Email=t.neumayer@ove.at



Wien, 2025 03 26

Dipl.-Ing. T. Neumayer

## OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



**Manufacturer:**

OBO Bettermann Hungary Kft.  
Alsóráda 2  
2347 Bugyi  
Hungary

**Factory location(s):**

OBO Bettermann Produktion Deutschland GmbH & Co. KG  
Hüingser Ring 52  
58710 Menden  
Germany

OBO Bettermann Hungary Kft.  
Alsóráda 2  
2347 Bugyi  
Hungary

**Tested and certified according to:**

ÖVE/ÖNORM EN 60670-22:2007-09-01

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

**Product: Junction box**

**Type designation:**

*Rating:*

**Trademark:**

**X-Serie**

Rated insulation voltage: 750 V  
IP67, surface mounting, -25 to +60°C  
see type list

OBO

**OVE Certification**

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Type list X-Serie:

Model / Type	Item No.	Dimensions [mm]	Colour Box / cover	Description
X01 LGR	2005000	95x95x60	light grey / light grey	Junction box
X02 LGR	2005004	95x95x72	light grey / light grey	Junction box
X04 LGR	2005008	114x114x78	light grey / light grey	Junction box
X06 LGR	2005012	150x116x86	light grey / light grey	Junction box
X10 LGR	2005016	190x150x125	light grey / light grey	Junction box
X16 LGR	2005020	240x191x125	light grey / light grey	Junction box
X25 LGR	2005024	286x202x125	light grey / light grey	Junction box
X01 G M20 LGR	2005030	95x95x60	light grey / light grey	Junction box with cable glands
X02 G M20 LGR	2005032	95x95x72	light grey / light grey	Junction box with cable glands
X04 G M20 LGR	2005034	114x114x78	light grey / light grey	Junction box with cable glands
X01 LGR-TR	2005050	95x95x60	light grey / transparent	Junction box
X02 LGR-TR	2005054	95x95x72	light grey / transparent	Junction box
X04 LGR-TR	2005058	114x114x78	light grey / transparent	Junction box
X06 LGR-TR	2005062	150x116x86	light grey / transparent	Junction box
X10 LGR-TR	2005066	190x150x125	light grey / transparent	Junction box
X16 LGR-TR	2005070	240x191x125	light grey / transparent	Junction box
X25 LGR-TR	2005074	286x202x125	light grey / transparent	Junction box
X06 R LGR-TR	2005092	150x116x86	light grey / transparent	Junction box with DIN-rail
X10 R LGR-TR	2005096	190x150x125	light grey / transparent	Junction box with DIN-rail
X16 R LGR-TR	2005100	240x191x125	light grey / transparent	Junction box with DIN-rail
X25 R LGR-TR	2005104	286x202x125	light grey / transparent	Junction box with DIN-rail
X01 SW	2005110	95x95x60	graphite black / graphite black	Junction box

#### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Model / Type	Item No.	Dimensions [mm]	Colour Box / cover	Description
<b>X02 SW</b>	2005114	95x95x72	graphite black / graphite black	Junction box
<b>X04 SW</b>	2005118	114x114x78	graphite black / graphite black	Junction box
<b>X06 SW</b>	2005122	150x116x86	graphite black / graphite black	Junction box
<b>X10 SW</b>	2005126	190x150x125	graphite black / graphite black	Junction box
<b>X16 SW</b>	2005130	240x191x125	graphite black / graphite black	Junction box
<b>X25 SW</b>	2005134	286x202x125	graphite black / graphite black	Junction box
<b>X01 SW-RO</b>	2005140	95x95x60	graphite black / red	Junction box
<b>X02 SW-RO</b>	2005144	95x95x72	graphite black / red	Junction box
<b>X04 SW-RO</b>	2005148	114x114x78	graphite black / red	Junction box
<b>X06 SW-RO</b>	2005152	150x116x86	graphite black / red	Junction box
<b>X10 SW-RO</b>	2005156	190x150x125	graphite black / red	Junction box
<b>X16 SW-RO</b>	2005160	240x191x125	graphite black / red	Junction box
<b>X25 SW-RO</b>	2005164	286x202x125	graphite black / red	Junction box
<b>X01 T LGR</b>	2005190	95x95x60	light grey / light grey	Junction box with terminals
<b>X02 T LGR</b>	2005194	95x95x72	light grey / light grey	Junction box with terminals
<b>X04 T LGR</b>	2005198	114x114x78	light grey / light grey	Junction box with terminals
<b>X06 T LGR</b>	2005202	150x116x86	light grey / light grey	Junction box with terminals
<b>X10 T LGR</b>	2005206	190x150x125	light grey / light grey	Junction box with terminals
<b>X16 T LGR</b>	2005210	240x191x125	light grey / light grey	Junction box with terminals
<b>X25 T LGR</b>	2005214	286x202x125	light grey / light grey	Junction box with terminals
<b>X01 T G M20 LGR</b>	2005220	95x95x60	light grey / light grey	Junction box with terminals and cable glands
<b>X02 T G M20 LGR</b>	2005222	95x95x72	light grey / light grey	Junction box with terminals and cable glands
<b>X04 T G M25 LGR</b>	2005224	114x114x78	light grey / light grey	Junction box with terminals and cable glands

#### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Model / Type	Item No.	Dimensions [mm]	Colour Box / cover	Description
<b>X06 T G M25 LGR</b>	2005226	114x114x78	light grey / light grey	Junction box with terminals and cable glands
<b>X01 UT G LGR</b>	2005240	95x95x60	light grey / light grey	Junction box with terminals and cable glands
<b>X02 UT G LGR</b>	2005244	95x95x72	light grey / light grey	Junction box with terminals and cable glands
<b>X04 UT G LGR</b>	2005248	114x114x78	light grey / light grey	Junction box with terminals and cable glands
<b>X06 H25 GNP4 LGR</b>	2005304	150x116x86	light grey / light grey	Junction box with terminals (4-pol.)
<b>X10 H25 GNP5 LGR</b>	2005308	190x150x125	light grey / light grey	Junction box with terminals (5-pol.)
<b>X16 H25 GNP5 LGR</b>	2005312	240x191x125	light grey / light grey	Junction box with terminals (5-pol.)
<b>X16 H35 GNP5 LGR</b>	2005316	240x191x125	light grey / light grey	Junction box with terminals (5-pol.)
<b>X25 H35 GNP5 LGR</b>	2005320	286x202x125	light grey / light grey	Junction box with terminals (5-pol.)
<b>X25 H50 GNP5 LGR</b>	2005324	286x202x125	light grey / light grey	Junction box with terminals (5-pol.)
<b>X01C LGR</b>	2005450	95x95x60	light grey / light grey	Empty box with closed side walls
<b>X02C LGR</b>	2005454	95x95x72	light grey / light grey	Empty box with closed side walls
<b>X04C LGR</b>	2005458	114x114x78	light grey / light grey	Empty box with closed side walls
<b>X06C LGR</b>	2005462	150x116x86	light grey / light grey	Empty box with closed side walls
<b>X10C LGR</b>	2005466	190x150x125	light grey / light grey	Empty box with closed side walls
<b>X16C LGR</b>	2005470	240x191x125	light grey / light grey	Empty box with closed side walls
<b>X25C LGR</b>	2005474	286x202x125	light grey / light grey	Empty box with closed side walls
<b>X06C R LGR</b>	2005490	150x116x86	light grey / light grey	Empty box with closed side walls and DIN-rail
<b>X10C R LGR</b>	2005494	190x150x125	light grey / light grey	Empty box with closed side walls and DIN-rail
<b>X16C R LGR</b>	2005498	240x191x125	light grey / light grey	Empty box with closed side walls and DIN-rail
<b>X25C R LGR</b>	2005502	286x202x125	light grey / light grey	Empty box with closed side walls and DIN-rail
<b>X01C LGR-TR</b>	2005520	95x95x60	light grey / transparent	Empty box with closed side walls

### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



Model / Type	Item No.	Dimensions [mm]	Colour Box / cover	Description
<b>X02C LGR-TR</b>	2005524	95x95x72	light grey / transparent	Empty box with closed side walls
<b>X04C LGR-TR</b>	2005528	114x114x78	light grey / transparent	Empty box with closed side walls
<b>X06C LGR-TR</b>	2005532	150x116x86	light grey / transparent	Empty box with closed side walls
<b>X10C LGR-TR</b>	2005536	190x150x125	light grey / transparent	Empty box with closed side walls
<b>X16C LGR-TR</b>	2005540	240x191x125	light grey / transparent	Empty box with closed side walls
<b>X25C LGR-TR</b>	2005544	286x202x125	light grey / transparent	Empty box with closed side walls
<b>X06C R LGR-TR</b>	2005560	150x116x86	light grey / transparent	Empty box with closed side walls and DIN-rail
<b>X10C R LGR-TR</b>	2005564	190x150x125	light grey / transparent	Empty box with closed side walls and DIN-rail
<b>X16C R LGR-TR</b>	2005568	240x191x125	light grey / transparent	Empty box with closed side walls and DIN-rail
<b>X25C R LGR-TR</b>	2005572	286x202x125	light grey / transparent	Empty box with closed side walls and DIN-rail
<b>X01C SW</b>	2005590	95x95x60	graphite black / graphite black	Empty box with closed side walls
<b>X02C SW</b>	2005594	95x95x72	graphite black / graphite black	Empty box with closed side walls
<b>X04C SW</b>	2005598	114x114x78	graphite black / graphite black	Empty box with closed side walls
<b>X06C SW</b>	2005602	150x116x86	graphite black / graphite black	Empty box with closed side walls
<b>X10C SW</b>	2005606	190x150x125	graphite black / graphite black	Empty box with closed side walls
<b>X16C SW</b>	2005610	240x191x125	graphite black / graphite black	Empty box with closed side walls
<b>X25C SW</b>	2005614	286x202x125	graphite black / graphite black	Empty box with closed side walls

For junction boxes with terminals: The rated insulation voltage of the terminals shall be considered.

#### OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.